



[www.werthercompressors.com](http://www.werthercompressors.com)



w e r t h e r

**SIL-AIR**



# SMALL OIL-LESS COMPRESSORS

## X1



22 l/min - 0.78 CFM

6 bar - 87 psi

Compressore portatile  
 Portable compressor  
 Compresseur portable  
 Tragbarer Kompressor  
 Compressor portátil

Volt/Hz	l/min (CFM) *	l (Gal.)	Watt	dBA	Kg (Lbs)
230/50	10 (0.35)	-	200	55	4.3 (9.5)

\* = @ 2 bar (29 PSI)

	A mm	B mm	C mm
	160	220	220
	250	300	260

## X1A



22 l/min - 0.78 CFM

6 bar - 87 psi max

Compressore portatile automatico  
 Automatic portable compressor  
 Compresseur portable automatique  
 Tragbarer automatischer Kompressor  
 Compressor portátil automático

Doppio funzionamento: a) automatico con pressostato, b) in continuo  
 Double operation: a) automatic with pressure switch, b) continuous  
 Double service: a) automatique avec pressostat, b) en continu  
 Doppelbetrieb: a) automatisch mit Druckschalter, b) durchgehend  
 Doble servicio: a) automático con presostato, b) en continuo

Volt/Hz	l/min (CFM) *	l (Gal.)	Watt	dBA	Kg (Lbs)
230/50	10 (0.35)	-	200	55	4.4 (9.7)

\* = @ 2 bar (29 PSI)

	A mm	B mm	C mm
	160	220	220
	250	300	260



22 l/min - 0.78 CFM

6 bar - 87 psi max



**Compressore automatico con riduttore filtro e tubo spiralato**  
**Automatic compressor with filter regulator and coiled hose**  
**Compresseur automatique avec filtre régulateur et flexible à spirales**  
**Automatischer Kompressor mit Filter-/Druckregler und Spiralschlauch**  
**Compresor automático con filtro regulador y tubo a espiral**

Doppio funzionamento: a) automatico con pressostato, b) in continuo  
 Double operation: a) automatic with pressure switch, b) continuous  
 Double service: a) automatique avec pressostat, b) en continu  
 Doppelbetrieb: a) automatisch mit Druckschalter, b) durchgehend  
 Doble servicio: a) automático con presostato, b) en continuo

	Volt/Hz	l/min (CFM) *	l (Gal.)	Watt	dBA	Kg (Lbs)
	230/50	10 (0.35)	-	200	55	4.8 (10.6)

	A mm	B mm	C mm
	160	295	230
	250	300	260

\* = @ 2 bar (29 PSI)


## TC108 - TC108S

20 l/min - 0.7 CFM

3.8 bar - 55 psi

Compressore portatile con regolatore di pressione  
 Portable compressor with pressure regulator  
 Compresseur portable avec mano-détendeur  
 Tragbarer Kompressor mit Druckregler  
 Compresor portátil con regulador de presión

**NEW**



TC108S

Volt/Hz	bar (PSI)	Watt	dbA	Kg (Lbs)	l/min (CFM)
230/50	3.8 (55)	115	45	3.4 (7.5)	15 (0.54)

\* = @ 1 bar (12 PSI)

	A mm	B mm	C mm
	135	245	220

## TC108/C



20 l/min - 0.7 CFM

3.8 bar - 55 psi

Compressore portatile con regolatore di pressione  
 Portable compressor with pressure regulator  
 Compresseur portable avec mano-détendeur  
 Tragbarer Kompressor mit Druckregler  
 Compresor portátil con regulador de presión

Volt/Hz	bar (PSI)	Watt	dbA	Kg (Lbs)	l/min (CFM)
230/50	3.8 (55)	115	45	5.1 (11.2)	15 (0.54)

\* = @ 1 bar (12 PSI)

	A mm	B mm	C mm
	170	280	220

## TC108/SPECIAL



20 l/min - 0.7 CFM

3.8 bar - 55 psi

Compressore portatile con regolatore di pressione  
 Portable compressor with pressure regulator  
 Compresseur portable avec mano-détendeur  
 Tragbarer Kompressor mit Druckregler  
 Compresor portátil con regulador de presión

Volt/Hz	bar (PSI)	Watt	l (Gal.)	dbA	Kg (Lbs)	l/min (CFM)
220/50	3.8 (55)	115	1.5 (0.4)	45	8.0 (17.6)	15 (0.54)

\* = @ 1 bar (12 PSI)

	A mm	B mm	C mm
	170	300	340

Modello con serbatoio 1.5 l  
 Model with 1.5 l-air receiver  
 Modèle avec réservoir 1.5 l  
 Modell mit 1.5 l-Druckbehälter  
 Modelo con depósito de 1.5 l



## TC108 Beauty


**NEW**



20 l/min - 0.7 CFM

3.8 bar - 55 psi

Compressore portatile con regolatore di pressione  
 Portable compressor with pressure regulator  
 Compresseur portable avec mano-détendeur  
 Tragbarer Kompressor mit Druckregler  
 Compressor portátil con regulador de presión



Speciale per applicazioni di cosmesi  
 Special for beauty applications  
 Spécial pour la les applications de beauté  
 Besonders geeignet für Kosmetik  
 Especial para aplicaciones cosméticas

Volt/Hz	bar (PSI)	Watt	dbA	Kg (Lbs)	l/min (CFM)
230/50	3.8 (55)	115	45	5.4 (11.9)	15 (0.54)

\* = @ 1 bar (12 PSI)

	A mm	B mm	C mm
	240	320	320

## TC108 DOUBLE



**NEW**

52 l/min - 1.86 CFM

3.8 bar - 55 psi (automatic)  
6 bar - 87 psi (manual)

Compressore portatile con regolatore di pressione, funzionamento automatico con pressostato  
Portable compressor with pressure regulator, automatic running with pressure switch  
Compresseur portable avec mano-détendeur, fonctionnement automatique avec pressostat  
Tragbarer Kompressor mit Druckregler, automatischer Betrieb mittels Druckschalter  
Compresor portátil con regulador de presión, funcionamiento automático con presostato

	Volt/Hz	bar (PSI)	Watt	dbA	Kg (Lbs)	l/min (CFM) *
automatic	220/50	3.8 (55)	220	47	5.5 (12.2)	30 (1.07)
manual		6 (87)				



	A mm	B mm	C mm
	135	320	205

\* = @ 1 bar (12 PSI)

## TC108 DOUBLE/SPECIAL



**NEW**



52 l/min - 1.86 CFM

3.8 bar - 55 psi (automatic)  
6 bar - 87 psi (manual)

Compressore portatile con regolatore di pressione, funzionamento automatico con pressostato  
Portable compressor with pressure regulator, automatic running with pressure switch  
Compresseur portable avec mano-détendeur, fonctionnement automatique avec pressostat  
Tragbarer Kompressor mit Druckregler, automatischer Betrieb mittels Druckschalter  
Compresor portátil con regulador de presión, funcionamiento automático con presostato

Modello con serbatoio 3.5 l  
Model with 3.5 l-air receiver  
Modèle avec réservoir 3.5 l  
Modell mit 3.5 l-Druckbehälter  
Modelo con depósito de 3.5 l

	Volt/Hz	bar (PSI)	Watt	l (Gal.)	dbA	Kg (Lbs)	l/min (CFM) *
automatic	220/50	3.8 (55)	220	3.5 (0.9)	47	11 (24.2)	30 (1.07)
manual		6 (87)					



	A mm	B mm	C mm
	295	270	255

\* = @ 1 bar (12 PSI)

## TC109



**NEW**

**15 l/min - 0.54 CFM**

**2.8 bar - 41 psi**

**Compressore compatto portatile**  
**Compact, portable compressor**  
**Compresseur portable et compact**  
**Kompakter und tragbarer Kompressor**  
**Compresor compacto portátil**

Volt/Hz	bar (PSI)	Watt	dbA	Kg (Lbs)	l/min (CFM) *
220/50 115/60	2.8 (41)	90	45	2.1 (4.6)	12 (0.42)

\* = @ 1 bar (12 PSI)



A mm	B mm	C mm
97	200	150

## BOX AIR



**10 l/min - 0.36 CFM**

**2.5 bar - 36 psi**

**Compressore compatto portatile**  
**Compact, portable compressor**  
**Compresseur portable et compact**  
**Kompakter und tragbarer Kompressor**  
**Compresor compacto portátil**

Volt/Hz	l/min (CFM)	bar (PSI)	Watt	dbA	Kg (Lbs)
230/50 115/60	5 (0.18)	2.5 (35)	60 80	57	2 (4.5)

\* = @ 1 bar (14 PSI)



A mm	B mm	C mm
190	290	140





# SMALL OIL-LESS COMPRESSORS

## BABY S



10 l/min - 0.36 CFM

2.5 bar - 36 psi

Compressore compatto portatile  
 Compact, portable compressor  
 Compresseur portable et compact  
 Kompakter und tragbarer Kompressor  
 Compresor compacto portátil

Volt/Hz	l/min (CFM)	bar (PSI)	Watt	l (Gal.)	dbA	Kg (Lbs)
230/50 115/60	5 (0.18)	2.5 (35)	60 80	0.25 (0.06)	57	2.2 (4.9)



A mm	B mm	C mm
97	200	150

\* = @ 1 bar (14 PSI)

## MONDIAL AIR



13 l/min - 0.46 CFM

3 bar - 44 psi

Compressore compatto portatile  
 Compact, portable compressor  
 Compresseur portable et compact  
 Kompakter und tragbarer Kompressor  
 Compresor compacto portátil

Volt/Hz	l/min (CFM) *	bar (PSI)	Watt	l (Gal.)	dbA	Kg (Lbs)
230/50 115/60	8 (0.29)	3 (42)	80 100	0.1 (0.03)	47	2.6 (5.7)

\* = @ 1 bar (14 PSI)



A mm	B mm	C mm
235	185	190



# SMALL OIL-LESS COMPRESSORS

## WERATHER ONE



10 l/min - 0.36 CFM

2.5 bar - 36 psi

Compressore compatto portatile  
 Compact, portable compressor  
 Compresseur portable et compact  
 Kompakter und tragbarer Kompressor  
 Compressor compacto portátil

	Volt/Hz	l/min (CFM) *	bar	Watt	l (Gal.)	dBA	Kg (Lbs)
	230/50 115/60	5 (0.18)	2.5 (35)	60	1 (0.26)	57	2.8 (6.2)

\* = @ 1 bar (14 PSI)

	A mm	B mm	C mm
	140	330	270

## WERATHER TWO - WERATHER THREE



13 l/min - 0.46 CFM

26 l/min - 0.92 CFM

3 bar - 44 psi

4 bar - 58 psi

Compressore compatto portatile  
 Compact, portable compressor  
 Compresseur portable et compact  
 Kompakter und tragbarer Kompressor  
 Compressor compacto portátil

	Volt/Hz	l/min (CFM) *	bar (PSI)	Watt	l (Gal.)	dBA	Kg (Lbs)
W. TWO	230/50 115/60	8 (0.29)	3 (40)	80 100	0.25 (0.06)	54	3.2 (7)
W. THREE	230/50 115/60	20 (0.72)	4 (55)	73 100	0.25 (0.06)	54	4.8 (10.6)

\* = @ 1 bar (14 PSI)

	A mm	B mm	C mm
W. TWO 	150	220	190
W. THREE 	150	300	230



# SMALL OIL-LESS COMPRESSORS

## WERATHER MAC



60 l/min - 2.12 CFM  
 3.5 bar - 51 psi

Compressore a membrana  
 Diaphragm compressor  
 Compresseur à membrane  
 Membrankompressor  
 Compresor con membrana

Volt/Hz	l/min (CFM) *	bar (PSI)	Watt	dBA	Kg (Lbs)
230/50	32 (1.15)	3.5 (51)	220	85	5.3 (11.7)
115/60	35 (1.25)		220		

\* = @ 1 bar (14 PSI)



A mm	B mm	C mm
170	260	250

### OPZIONI / OPTIONALS / OPTIONS / SONDERZUBEHÖR / OPCIONES

## WERATHER MAC A



Modello con pressostato  
 Model with pressure switch  
 Modèle avec pressostat  
 Modell mit Druckschalter  
 Modelo con presostato

Volt/Hz	l/min (CFM) *	bar (PSI)	Watt	dBA	Kg (Lbs)
230/50	26 (0.93)	2.8 (41)	220	85	5.4 (12)
115/60	30 (1.07)				

\* = @ 1 bar (14 PSI)



A mm	B mm	C mm
170	260	250



WERTHER INTERNATIONAL S.p.A.  
Via F. Brunelleschi, 12 - 42124 Cadè (RE) Italy  
Tel. ++39 0522 943131 - ++39 346 9837325 - ++39 346 9837443 - Fax ++39 0522 941997  
e-mail: [compressors@wertherint.com](mailto:compressors@wertherint.com)  
[www.werthercompressors.com](http://www.werthercompressors.com)